

<p>ASPEV1212LE</p> <p>ASPEV66LE</p> <p>ASPEV88LE</p>	<p>Specchi / Mirrors</p> <p>Vitruvio</p> <p>ASPEV66LE- 88LE - 1212LE</p> <p>Specchio con illuminazione</p> <p>Mirror with lighting system</p>
--	---



- Leggere le istruzioni prima di installare e utilizzare l'apparecchio.
- Conservare le istruzioni.
- L'installazione deve essere effettuata da personale qualificato.
- L'installazione deve avvenire nel rispetto delle norme vigenti nel paese.
- Se il cavo di alimentazione è danneggiato, va sostituito dal costruttore, dal suo servizio assistenza, oppure da persona/azienda autorizzata.
- Prima di iniziare il montaggio assicurarsi di TOGLIERE TENSIONE dall'impianto elettrico.
- Conservare l'imballo fino ad accertamento del buon funzionamento dell'articolo.

- Rifiuto speciale elettrico - Smaltire negli appositi centri di raccolta



- Read the instructions before installing and using the device.
- Conserve the instructions.
- The installation has to be effected by trained personnel.
- The installation has to respect the valid standards .
- If the power cable is damaged, it has to be replaced by the supplier, by his customer service or by an authorized company /person.
- Before installing, please verify that the electric plant is not under tension.
- Conserve the package until you checked the articles functionality.

- Electric special waste – dispose in the relevant waste collector



MANUTENZIONE

Per la normale pulizia si consiglia di utilizzare detersivi di uso comune.
Si sconsiglia l'utilizzo di detersivi abrasivi, acidi e anticalcare.

NOTA

La ferramenta in dotazione permette il fissaggio degli accessori su pareti in mattoni pieni o forati e in calcestruzzo. Per pareti in cartongesso è necessario rinforzare adeguatamente la zona interessata ed eventualmente adottare sistemi di fissaggio specifici.

ASPEV1212LE
con illuminazione
220-240V 43W LED
colore luce: 3000K

ASPEV88LE
con illuminazione
220-240V 28W LED
colore luce: 3000K

ASPEV66LE
con illuminazione
220-240V 20W LED
colore luce: 3000K

MAINTENANCE

For normal cleaning use common detergents.
Do not use either abrasive detergents or solvents, acids and anti limestone.

NOTE


The assembly material supplied allows the installation of the accessories on solid and hollow brick walls and on concrete walls. For plasterboard walls it is necessary to reinforce adequately the area concerned and to adopt specific fixing systems if necessary.

ASPEV1212LE
with LED lighting
220V 43W LED
Light colour: 3000K

ASPEV88LE
with LED lighting
220V 28W LED
Light colour: 3000K

ASPEV66LE
with LED lighting
220V 20W LED
Light colour: 3000K

CONTENUTO DELLA CONFEZIONE
PACKAGE CONTENTS







(A)



(B)




STRUMENTI
TOOLS




ø 8 (5/16")


PREDISPOSIZIONE
PREDISPOSITION



1200x1200
(47"1/4)







800x800
(31"1/2x31"1/2)



600x600
(23"5/8x23"5/8)

SPECCHIO INSTALLATO
MIRROR MOUNTED





<p>1</p> <p>x2</p>	<p>2</p> <p>ø 8 (5/16")</p>
<p>3</p> <p>A</p>	<p>4</p> <p>B</p> <p>x2</p>
<p>5</p> <p>Collegare alla rete elettrica. Connect the lamp to the electric plant.</p> <p>LED 12 W ML</p> <p>TRASFORMATORE TRANSFORMER</p>	<p>6</p>